### **Product data sheet**


## Miniature connectors




Product description M16 IP67 male angled connector, Contacts: 5 (stereo), 4.0 - 6.0 mm, shieldable, solder, IP67, UL

M16 IP67 series 423 Order number 99 5117 75 05







Contact arrangement (Plug-in side)

You can find the component part drawing and assembly instructions on the next page.

# **Technical data**

## **General values**

Connector design Connector locking system Termination Wire gauge (mm) Wire gauge (AWG) Cable outlet Upper limit temperature Lower limit temperature Customs tariff number Packaging Unit

#### **Cable data**

Approval 1

male angled connector screw 85369010

solder max. 0.75 mm<sup>2</sup> max. 18 4.0 - 6.0 mm 95 ℃ − 30 °C

20

UL

Mechanical operation Material Contact material Contact plating

Contact body material

REACH SVHC

**Electrical values** 

Rated current (40 °C)

Rated impulse voltage

Overvoltage category

Insulation resistance

Degree of protection

Insulating material group

Rated voltage

Pollution degree

EMC compliance

6 A 60 V 500 V Ш  $\geq 10^{10}\,\Omega$ shieldable IP67 > 500 Mating cycles

#### CuZn (brass) Ag (silver) PBT (UL94 V-0) CAS 96-45-7

(Imidazolidine-2-thione) CAS 7439-92-1 (Lead)


### **Product data sheet**

## Miniature connectors



Product description M16 IP67 male angled connector, Contacts: 5 (stereo), 4.0 - 6.0 mm, shieldable, solder, IP67, UL

Area **M16 IP67 series 423**Order number **99 5117 75 05** 



### Assembly instructions / Panel cut-out Winkelversion 1. Dichtungen montieren (3x). 2. Kabelteile auffädeln. 3. Kabel und Schirm abmanteln. 4. Litzen durch das Gehäuse fädeln. 5. Schirmring, Klemmkorb montieren. 6. Druckschraube leicht andrehen. 7. Litzen an Kontakteinsatz löten. 8. Verdrehhülse in Winkelstellung montieren. 9. Kontakteinsatz, Distanzhülse einsetzen. 10. Deckel einhaken. 11. Druckschraube festziehen (100 cNm). Angled version Assemble sealing rings (3x). 2. Bead cable parts. 3. Dismantle cable and shielding braid. 4. Push single wires through housing. 5. Mount shielding ring and pinch ring. 6. Slightly fix pressing screw. 7. Solder wires to insert. 8. Mount positioning sleeve in angled position. 9. Put in insert and distance sleeve. 10. Mount lid. 11. Fix pressing screw (100 cNm).



## **Product data sheet**

## Miniature connectors



Product description M16 IP67 male angled connector, Contacts: 5 (stereo), 4.0 - 6.0 mm, shieldable, solder, IP67, UL

Area **M16 IP67 series 423**Order number **99 5117 75 05** 

## Security notices

The connectors are designed for use in plant, control system and electrical equipment. The end user is responsible for checking whether the connectors are suitable for use in other applications.

Connectors with degree of protection IP 67 and IP 68 are not suitable for use under water. When used outdoors, the connectors must be separately protected against corrosion. For further information about IP degrees of protection refer to 'Technical support' in the Download Centre.

To lock the cable connector to the equipment connector, the threaded ring is tightened until it is 'finger-tight' (approx. 50 cNm).